

"Livello" b	0 100 m	101 200 m	201 300 m	301 400 m	401 500 m	501 600 m	601 700 m	701 800 m	801 900 m	901 1000 m	sup. 1000 m
<i>Cyclothone braueri</i>			————								
<i>Cyclothone pygmaea</i>						-----					
<i>Maurolicus muelleri</i>		————				-----					
<i>Vinciguerrria poweriae</i>	-----										
<i>Hygophum benoiti</i>	-----							-----			
<i>Lobianchia dofleini</i>											
<i>Lampanyctus pusillus</i>			————						-----		
<i>Ceratoscopelus maderensis</i>	-----										
<i>Gadiculus argenteus</i>		-----						-----			
<i>Microichthys coccoi</i>	-----										

"Livello" c	0 100 m	101 200 m	201 300 m	301 400 m	401 500 m	501 600 m	601 700 m	701 800 m	801 900 m	901 1000 m	sup. 1000 m
<i>Cyclothone braueri</i>			————								
<i>Cyclothone pygmaea</i>						-----					
<i>Maurolicus muelleri</i>		————									
<i>Argyrolepecus hemigymnus</i>		-----									
<i>Hygophum hygomi</i>					-----						
<i>Hygophum benoiti</i>	-----										
<i>Belone belone</i>	-----	-----									

"Livello" d	0 100 m	101 200 m	201 300 m	301 400 m	401 500 m	501 600 m	601 700 m	701 800 m	801 900 m	901 1000 m	sup. 1000 m
<i>Cyclothone braueri</i>			————								
<i>Cyclothone pygmaea</i>						-----					
<i>Maurolicus muelleri</i>		————									
<i>Electrona rissoi</i>											
<i>Lampanyctus pusillus</i>			————								
<i>Lampanyctus crocodilus</i>	-----	-----									

"Livello" e	0 100 m	101 200 m	201 300 m	301 400 m	401 500 m	501 600 m	601 700 m	701 800 m	801 900 m	901 1000 m	sup. 1000 m
<i>Cyclothone braueri</i>			————								
<i>Cyclothone pygmaea</i>											
<i>Maurolicus muelleri</i>		————									
<i>Chauliodus sloanei</i>											
<i>Hygophum hygomi</i>											
<i>Lobianchia dofleini</i>	-----										
<i>Lampanyctus pusillus</i>			————								
<i>Lampanyctus crocodilus</i>	-----										
<i>Ceratoscopelus maderensis</i>	-----										
<i>Diaphus rafinesquei</i>	-----										
<i>Diaphus holti</i>		-----									
<i>Benthoosema glaciale</i>	-----										

"Livello" f	0 100 m	101 200 m	201 300 m	301 400 m	401 500 m	501 600 m	601 700 m	701 800 m	801 900 m	901 1000 m	sup. 1000 m
<i>Cyclothone braueri</i>			————								
<i>Cyclothone pygmaea</i>						-----					
<i>Maurolicus muelleri</i>		————									
<i>Ichthyococcus ovatus</i>			————				-----				
<i>Argyrolepecus hemigymnus</i>			————								
<i>Electrona rissoi</i>			————								
<i>Lobianchia dofleini</i>	-----	-----									
<i>Lampanyctus pusillus</i>			————								
<i>Lampanyctus crocodilus</i>	-----										
<i>Ceratoscopelus maderensis</i>	-----										
<i>Micromesistius poutassou</i>	-----										

"Livello" h	0 100 m	101 200 m	201 300 m	301 400 m	401 500 m	501 600 m	601 700 m	701 800 m	801 900 m	901 1000 m	sup. 1000 m
<i>Cyclothone braueri</i>			————								
<i>Cyclothone pygmaea</i>						-----					
<i>Maurolicus muelleri</i>		————									
<i>Argyrolepecus hemigymnus</i>		-----									

"Livello" n	0 100 m	101 200 m	201 300 m	301 400 m	401 500 m	501 600 m	601 700 m	701 800 m	801 900 m	901 1000 m	sup. 1000 m
<i>Cyclothone braueri</i>			————								
<i>Cyclothone pygmaea</i>						-----					
<i>Maurolicus muelleri</i>		————									
<i>Argyrolepecus hemigymnus</i>		-----									
<i>Belone belone</i>	-----	-----									

"Livello" o	0 100 m	101 200 m	201 300 m	301 400 m	401 500 m	501 600 m	601 700 m	701 800 m	801 900 m	901 1000 m	sup. 1000 m
<i>Cyclothone braueri</i>			————								
<i>Cyclothone pygmaea</i>						-----					
<i>Maurolicus muelleri</i>		————									
<i>Argyrolepecus hemigymnus</i>		-----									
<i>Electrona rissoi</i>			————								
<i>Hygophum benoiti</i>	-----										
<i>Lobianchia dofleini</i>	-----										
<i>Lampanyctus crocodilus</i>	-----										
<i>Ceratoscopelus maderensis</i>	-----										

"Livello" p	0 100 m	101 200 m	201 300 m	301 400 m	401 500 m	501 600 m	601 700 m	701 800 m	801 900 m	901 1000 m	sup. 1000 m
<i>Cyclothone braueri</i>			————								
<i>Cyclothone pygmaea</i>						-----					
<i>Maurolicus muelleri</i>		————									
<i>Vinciguerrria attenuata</i>	-----						-----				
<i>Electrona rissoi</i>			————								
<i>Hygophum benoiti</i>	-----										
<i>Ceratoscopelus maderensis</i>	-----										

TABELLA 5 - Distribuzione batimetrica.

————: frequenza maggiore;
-----: frequenza minore.